Author Index

Achladas, G. E.
Analysis of biomass pyrolysis liquids: separation and characterization of phenols 542(1991)263

Agarwal, N., see Upadhyay, R. K. 542(1991)531

Andrade, J. D., see Lin, J.-N. 542(1991)41

Arora, R., see Batta, A. K. 542(1991)184

Bailey, R. G., Nursten, H. E. and McDowell, I.
Comparative study of the reversed-phase high-performance liquid chromatography of black tea liquors with special reference to the thearubigins 542(1991)115

Batta, A. K., Salen, G., Arora, R., Shefer, S. and Batta, M.
High-performance liquid chromatographic separation of bile acids and bile alcohols diastereoisomeric at C-25 542(1991)184

Batta, M., see Batta, A. K. 542(1991)184

Berthelot, P., see Vaccher, C. 542(1991)502

Bianchi, A. P., Varney, M. S. and Phillips, J.
Analysis of volatile organic compounds in estuarine sediments using dynamic headspace and gas chromatography–mass spectrometry 542(1991)413

Bolzacchini, E., Di Gennaro, P., Di Gregorio, G., Rindone, B., Falagiani, P., Mistrello, G. and Sondergaard, I.
Allergenic fragments in *Parietaria judaica* pollen extract 542(1991)337

Borrull, F., see Marcé, R. M. 542(1991)277

Bronnimann, C. E., see Shreedhara Murthy, R. S. 542(1991)205

Brückner, H. and Langer, M.
Gas chromatographic separation of stereoisomeric esters of α-amino acids and α-alkyl-α-amino acids on chiral stationary phases 542(1991)161

Calull, M., see Marcé, R. M. 542(1991)277

Canjura, F. L., see Van Breemen, R. B. 542(1991)373

Chalom, J., see Tod, M. 542(1991)295

Chang, I.-N., see Lin, J.-N. 542(1991)41

Chen, C.-F., see Tsai, T.-H. 542(1991)521

Christensen, D. A., see Lin, J.-N. 542(1991)41

Chyr, R. and Shiao, M.-S.
Liquid chromatographic characterization of the triterpenoid patterns in *Ganoderma lucidum* and related species 542(1991)327

Crane, L. J., see Shreedhara Murthy, R. S. 542(1991)205

Danielson, N. D., see Maki, S. A. 542(1991)101

Debaert, M., see Vaccher, C. 542(1991)502

Di Gennaro, P., see Bolzacchini, E. 542(1991)337

Di Gregorio, G., see Bolzacchini, E. 542(1991)337

Do, D. D., see James, E. A. 542(1991)19

Ehwald, R., Heese, P. and Klein, U.
Determination of size limits of membrane separation in vesicle chromatography by fractionation of polydisperse dextran 542(1991)239

Evans, M. B.
Gas chromatography: A Practical Course (by G. Schomburg) (Book Review) 542(1991)545

Falagiani, P., see Bolzacchini, E. 542(1991)337

Farinotti, R., see Tod, M. 542(1991)295

Flouquet, N., see Vaccher, C. 542(1991)502

Gabriel, J., Vacek, O., Kubátová, E. and Volc, J.
High-performance liquid chromatographic determination of the antibiotic cortalcerone 542(1991)200

Gallant, J. and Leblanc, R. M.
Purification of galactolipids by high-performance liquid chromatography for monolayer and Langmuir–Blodgett film studies 542(1991)307

Ghogare, A. B., see Sadana, G. S. 542(1991)515

Guiochon, G., see Lin, B. 542(1991)1

Gupta, N., see Upadhyay, R. K. 542(1991)531

Hagedorn, H. H., see Wheelock, G. D. 542(1991)508

Haken, J. K.
Polymer Thermodynamics by GC (by R. Vilcu and M. Leca) (Book Review) 542(1991)549

Harvey, G.A., see Rackham, D.M. 542(1991)189

He, L.-Y., see Niu, C.-Q. 542(1991)193

Heese, P., see Ehwald, R. 542(1991)239

Herron, J. N., see Lin, J.-N. 542(1991)41

Hosono, K., see Yamazaki, Y. 542(1991)129

Hu, C., see Lian, D.-X. 542(1991)526

Hua, S., see Lian, D.-X. 542(1991)526

Huynh, O. T., see Tran, A. D. 542(1991)459

Hwa Han, J., see Lavine, B. K. 542(1991)29

James, E. A. and Do, D. D.
Equilibria of biomolecules on ion-exchange adsorbents 542(1991)19

Kalambet, Y. A., Kozmin, Y. P. and Perelroysen, M. P.
Computer spectrochromatography. Principles and practice of multi-channel chromatographic data processing 542(1991)247

Author Index

Achladas, G. E.
Analysis of biomass pyrolysis liquids: separation and characterization of phenols 542(1991)263

Agarwal, N., see Upadhyay, R. K. 542(1991)531

Andrade, J. D., see Lin, J.-N. 542(1991)41

Arora, R., see Batta, A. K. 542(1991)184

Bailey, R. G., Nursten, H. E. and McDowell, I.
Comparative study of the reversed-phase high-performance liquid chromatography of black tea liquors with special reference to the thearubigins 542(1991)115

Batta, A. K., Salen, G., Arora, R., Shefer, S. and Batta, M.
High-performance liquid chromatographic separation of bile acids and bile alcohols diastereoisomeric at C-25 542(1991)184

Batta, M., see Batta, A. K. 542(1991)184

Berthelot, P., see Vaccher, C. 542(1991)502

Bianchi, A. P., Varney, M. S. and Phillips, J.
Analysis of volatile organic compounds in estuarine sediments using dynamic headspace and gas chromatography–mass spectrometry 542(1991)413

Bolzacchini, E., Di Gennaro, P., Di Gregorio, G., Rindone, B., Falagiani, P., Mistrello, G. and Sondergaard, I.
Allergenic fragments in *Parietaria judaica* pollen extract 542(1991)337

Borrull, F., see Marcé, R. M. 542(1991)277

Bronnimann, C. E., see Shreedhara Murthy, R. S. 542(1991)205

Brückner, H. and Langer, M.
Gas chromatographic separation of stereoisomeric esters of α-amino acids and α-alkyl-α-amino acids on chiral stationary phases 542(1991)161

Calull, M., see Marcé, R. M. 542(1991)277

Canjura, F. L., see Van Breemen, R. B. 542(1991)373

Chalom, J., see Tod, M. 542(1991)295

Chang, I.-N., see Lin, J.-N. 542(1991)41

Chen, C.-F., see Tsai, T.-H. 542(1991)521

Christensen, D. A., see Lin, J.-N. 542(1991)41

Chyr, R. and Shiao, M.-S.
Liquid chromatographic characterization of the triterpenoid patterns in *Ganoderma lucidum* and related species 542(1991)327

Crane, L. J., see Shreedhara Murthy, R. S. 542(1991)205

Danielson, N. D., see Maki, S. A. 542(1991)101

Debaert, M., see Vaccher, C. 542(1991)502

Di Gennaro, P., see Bolzacchini, E. 542(1991)337

Di Gregorio, G., see Bolzacchini, E. 542(1991)337

Do, D. D., see James, E. A. 542(1991)19

Ehwald, R., Heese, P. and Klein, U.
Determination of size limits of membrane separation in vesicle chromatography by fractionation of polydisperse dextran 542(1991)239

Evans, M. B.
Gas chromatography: A Practical Course (by G. Schomburg) (Book Review) 542(1991)545

Falagiani, P., see Bolzacchini, E. 542(1991)337

Farinotti, R., see Tod, M. 542(1991)295

Flouquet, N., see Vaccher, C. 542(1991)502

Gabriel, J., Vacek, O., Kubátová, E. and Volc, J.
High-performance liquid chromatographic determination of the antibiotic cortalcerone 542(1991)200

Gallant, J. and Leblanc, R. M.
Purification of galactolipids by high-performance liquid chromatography for monolayer and Langmuir–Blodgett film studies 542(1991)307

Ghogare, A. B., see Sadana, G. S. 542(1991)515

Guiochon, G., see Lin, B. 542(1991)1

Gupta, N., see Upadhyay, R. K. 542(1991)531

Hagedorn, H. H., see Wheelock, G. D. 542(1991)508

Haken, J. K.
Polymer Thermodynamics by GC (by R. Vilcu and M. Leca) (Book Review) 542(1991)549

Harvey, G.A., see Rackham, D.M. 542(1991)189

He, L.-Y., see Niu, C.-Q. 542(1991)193

Heese, P., see Ehwald, R. 542(1991)239

Herron, J. N., see Lin, J.-N. 542(1991)41

Hosono, K., see Yamazaki, Y. 542(1991)129

Hu, C., see Lian, D.-X. 542(1991)526

Hua, S., see Lian, D.-X. 542(1991)526

Huynh, O. T., see Tran, A. D. 542(1991)459

Hwa Han, J., see Lavine, B. K. 542(1991)29

James, E. A. and Do, D. D.
Equilibria of biomolecules on ion-exchange adsorbents 542(1991)19

Kalambet, Y. A., Kozmin, Y. P. and Perelroysen, M. P.
Computer spectrochromatography. Principles and practice of multi-channel chromatographic data processing 542(1991)247

Kinoshita, T., see Yokoyama, T. 542(1991)365
Kitazawa, T., see Okamura, N. 542(1991)317
Klein, U., see Ehwald, R. 542(1991)239
Kobayashi, K., see Okamura, N. 542(1991)317
Kozmin, Y. P., see Kalambet, Y. A. 542(1991)247
Krob, E. J., see Walter, H. 542(1991)397
Kubátová, E., see Gabriel, J. 542(1991)200
Kula, M. R., see Walsdorf, A. 542(1991)55
Lane, P. A., see Tran, A. D. 542(1991)459
Langer, M., see Brückner, H. 542(1991)161
Lavine, B. K., White, A. J. and Hwa Han, J.
Solute retention in micellar liquid chromatography 542(1991)29
Laycock, M. V., see Thibault, P. 542(1991)483
Leblanc, R. M., see Gallant, J. 542(1991)307
Lee, H. K., see Ong, C. P. 542(1991)473
Li, S. F. Y., see Ong, C. P. 542(1991)473
Lian, D.-X., Yang, L., Yun, W.-X., Hua, S. and Hu, C.
Gas chromatographic determination of aldicarb and its metabolites in urine 542(1991)526
Lin, B., Ma, Z. and Guiochon, G.
Influence of the choice of the boundary conditions on the results of the dynamic chromatography model 542(1991)1
Lin, J.-N., Chang, I.-N., Andrade, J. D., Herron, J. N. and Christensen, D. A.
Comparison of site-specific coupling chemistry for antibody immobilization on different solid supports 542(1991)41
Linde, S., see Welinder, B. S. 542(1991)65
Lisi, P. J., see Tran, A. D. 542(1991)459
Ma, Z., see Lin, B. 542(1991)1
Mahuzier, G., see Tod, M. 542(1991)295
Maki, S. A. and Danielson, N. D.
Naphthalenesulfonates as mobile phases for anion-exchange chromatography using indirect photometric detection 542(1991)101
Marcé, R. M., Calull, M., Olucha, J. C., Borrull, F. and Rius, F. X.
Optimized isocratic separation of major carboxylic acids in wine 542(1991)277
Mareš, P., see Řezanka, T. 542(1991)145
Mattina, M. J. I.
Determination of chlorophenoxy acids using high-performance liquid chromatography–particle beam mass spectrometry 542(1991)385
McDowell, I., see Bailey, R. G. 542(1991)115
Mistrello, G., see Bolzacchini, E. 542(1991)337
Morohashi, N., see Yamazaki, Y. 542(1991)129
Nielen, M. W. F.
Impact of experimental parameters on the resolution of positional isomers of aminobenzoic acid in capillary zone electrophoresis 542(1991)173
Niu, C.-Q. and He, L.-Y.
Determination of isoquinoline alkaloids in *Chelidonium majus* L. by ion-pair high-performance liquid chromatography 542(1991)193
Nursten, H. E., see Bailey, R. G. 542(1991)115
Okamura, N., Kobayashi, K., Yagi, A., Kitazawa, T. and Shimomura, K.
High-performance liquid chromatography of abietane-type compounds 542(1991)317
Olucha, J. C., see Marcé, R. M. 542(1991)277
Ong, C. P., Lee, H. K. and Li, S. F. Y.
Separation of phthalates by micellar electrokinetic chromatography 542(1991)473
Park, S., see Tran, A. D. 542(1991)459
Parkin, J. E.
High-performance liquid chromatographic assay of thiomersal (thimerosal) as the ethylmercury dithiocarbamate complex 542(1991)137
Perelroysen, M. P., see Kalambet, Y. A. 542(1991)247
Phillips, J., see Bianchi, A. P. 542(1991)413
Pleasance, S., see Thibault, P. 542(1991)483
Prevot, M., see Tod, M. 542(1991)295
Rackham, D. M. and Harvey, G. A.
Stereochemical analysis of a leukotriene related hydroxypentadecadiene using a chiral high-performance liquid chromatography column and diode array detection 542(1991)189
Řezanka, T. and Mareš, P.
Determination of plant triacylglycerols using capillary gas chromatography, high-performance liquid chromatography and mass spectrometry 542(1991)145
Rindone, B., see Bolzacchini, E. 542(1991)337
Rius, F. X., see Marcé, R. M. 542(1991)277
Rizzi, A. M.
Efficiency in chiral high-performance ligand-exchange chromatography. Influence of the complexation process, flow-rate and capacity factor 542(1991)221
Ryall, R. R., see Tran, A. D. 542(1991)459
Sadana, G. S. and Ghogare, A. B.
Simultaneous determination of chloramphenicol and benzocaine in topical formulations by high-performance liquid chromatography 542(1991)515

Saitoh, K., Shibata, Y. and Suzuki, N.
Factors influencing the retention of rare earth–tetraphenylporphine complexes in reversed-phase high-performance liquid chromatography 542(1991)351
Salen, G., see Batta, A. K. 542(1991)184
Schwartz, S. J., see Van Breemen, R. B. 542(1991)373
Shefer, S., see Batta, A. K. 542(1991)184
Shiao, M.-S., see Chyr, R. 542(1991)327
Shibata, Y., see Saitoh, K. 542(1991)351
Shimomura, K., see Okamura, N. 542(1991)317
Shreedhara Murthy, R. S., Crane, L. J. and Bronnimann, C. E.
Characterization of cyano bonded silica phases from solid-phase extraction columns. Correlation of surface chemistry with chromatographic behavior 542(1991)205
Sieber, K. P., see Wheelock, G. D. 542(1991)508
Singh, R. K. P., see Tiwari, B. B. 542(1991)537
Smith, R. D.
Continuous-Flow Fast Atom Bombardment Mass Spectrometry (edited by R. M. Caprioli (Book Review) 542(1991)547
Sondergaard, I., see Bolzacchini, E. 542(1991)337
Sur, L. I., see Sur, S. V. 542(1991)451
Sur, S. V., Tuljupa, F. M. and Sur, L. I.
Gas chromatographic determination of monoterpenes in essential oil medicinal plants 542(1991)451
Suzuki, N., see Saitoh, K. 542(1991)351
Thibault, P., Pleasance, S. and Laycock, M. V.
Analysis of paralytic shellfish poisons by capillary electrophoresis 542(1991)483
Tiwari, B. B., Singh, R. K. P. and Yadava, K. L.
Ionophoretic studies on mixed complexes. Metal–nitrilotriacetate–penicillamine system 542(1991)537
Tod, M., Prevot, M., Chalom, J., Farinotti, R. and Mahuzier, G.
Luminarin 4 as a labelling reagent for carboxylic acids in liquid chromatography with peroxyoxalate chemiluminescence detection 542(1991)295
Tran, A. D., Park, S., Lisi, P. J., Huynh, O. T., Ryall, R. R. and Lane, P. A.
Separation of carbohydrate-mediated microheterogeneity of recombinant human erythropoietin by free solution capillary electrophoresis. Effects of pH, buffer type and organic additives 542(1991)459
Tsai, H. and Weber, S. G.
Electrochemical detection of oligopeptides through the precolumn formation of biuret complexes 542(1991)345
Tsai, T.-H. and Chen, C.-F.
Determination of three active principles in licorice extract by reversed-phase high-performance liquid chromatography 542(1991)521
Tuljupa, F. M., see Sur, S. V. 542(1991)451
Upadhyay, R. K., Agarwal, N. and Gupta, N.
Thin-layer chromatography of thiazolidinones. I 542(1991)531
Vaccher, C., Berthelot, P., Flouquet, N. and Debaert, M.
Preparative liquid chromatographic separation of isomers of 4-amino-3-(4-chlorophenyl)butyric acid 542(1991)502
Vacek, O., see Gabriel, J. 542(1991)200
Van Breemen, R. B., Canjura, F. L. and Schwartz, S. J.
High-performance liquid chromatography–continuous-flow fast atom bombardment mass spectrometry of chlorophyll derivatives 542(1991)373
Varney, M. S., see Bianchi, A. P. 542(1991)413
Volc, J., see Gabriel, J. 542(1991)200
Walsdorf, A. and Kula, M. R.
Properties of supports for the partition chromatography of proteins 542(1991)55
Walter, H., Krob, E. J. and Wollenberger, L.
Partitioning of cells in dextran–poly(ethylene glycol) aqueous phase systems. A study of settling time, vessel geometry and sedimentation effects on the efficiency of separation 542(1991)397
Weber, S. G., see Tsai, H. 542(1991)345
Welinder, B. S.
Use of polymeric reversed-phase columns for the characterization of polypeptides extracted from human pancreata. II. Effect of the stationary phase 542(1991)83
Welinder, B. S. and Linde, S.
Use of polymeric reversed-phase columns for the characterization of polypeptides extracted from human pancreata. I. Effect of the mobile phase 542(1991)65
Wheelock, G. D., Sieber, K. P. and Hagedorn, H. H.
Rapid isolation of a neurohormone from mosquito heads by high-performance liquid chromatography 542(1991)508
White, A. J., see Lavine, B. K. 542(1991)29
Wollenberger, L., see Walter, H. 542(1991)397
Yadava, K. L., see Tiwari, B. B. 542(1991)537
Yagi, A., see Okamura, N. 542(1991)317
Yamazaki, Y., Morohashi, N. and Hosono, K.
High-performance liquid chromatographic determination of optical purity of planar chiral organometallic compounds resolved by enzymic transformations 542(1991)129

Yang, L., see Lian, D.-X. 542(1991)526
Yokoyama, T. and Kinoshita, T.
High-performance liquid chromatographic determination of biotin in pharmaceutical preparations by post-column fluorescence reaction with thiamine reagent 542(1991)365
Yun, W.-X., see Lian, D.-X. 542(1991)526